CLAIMS

We claim:

	1. A handle assembly for use with a weight stack or resistance machine, comprising:
2	a handle;
3	a pulley connectable to a weight stack or resistance machine; and
1	a cord which passes through said pulley and is connected to said handle at two
5	points separated along a length of said handle, said handle being freely rotatable about a
5	longitudinal axis passing through the handle and being freely shiftable, movable or
7	turnable with said cord passing through said pulley during shifting, moving or turning.
l	2. The handle assembly as recited in claim 1 wherein said cord is made of rope.
l	3. The handle assembly as recited in claim 1 wherein said cord is made of rubber
)	material.
l	4. The handle assembly as recited in claim 1 wherein said cord is or includes a metal
2	cable.
i	5. The handle accomply as regited in claim 1 further comprising a protective should
)	5. The handle assembly as recited in claim 1 further comprising a protective sheath positioned over said cord at one or more locations.
•	positioned over said cord at one of more locations.
	6. The handle assembly as recited in claim 1 further comprising a swivel connector
2	associated with said pulley.
-	and the same paney.
	7. The handle assembly as recited in claim 1 wherein said handle includes a golf club
2	grip.
	· ·

1	8. The handle assembly as recited in claim 1 wherein said handle includes at least a
2	portion of a softball or baseball bat.
1	9. The handle assembly as recited in claim 1 wherein said handle includes at least a
2	portion of a hockey stick.
1	10. The handle assembly as recited in claim 1 wherein said handle includes at least a
2	portion of a tennis racket.
l	11. The handle assembly as recited in claim 1 wherein at least one of said two points
2	where said cord and said handle are connected includes a member which encircles said
3	handle and permits rotation of said handle within said member.
1	12. The handle assembly as recited in claim 1 wherein at least one of said two points
2	where said cord and said handle are connected includes washer assembly which fits
3	within said handle and permits rotation of said handle relative to said washer assembly.
1	13. The handle assembly as recited in claim 1 wherein the handle is in the form of a ball.
1	14. The handle assembly as recited in claim 13 wherein said ball is a football.
1	15. The handle assembly as recited in claim 13 wherein said ball is a bowling ball.
1	16. A ball device for use with a weight stack or resistance machine, comprising:
2	a ball member; and
3	a connector connected to and spaced away from the ball member for connecting

- the ball member to a weight stack or resistance machine, said connector permitting rotation of said ball member about an axis through said ball member which extends to said connector, and said ball member being freely shiftable, movable or turnable with respect to said connector during shifting, moving or turning.
- 1 17. The ball device of claim 16 wherein said ball member is a football.

1

18. The ball device of claim 16 wherein said ball member is a bowling ball.